

RECEIVED

AUG 07 2001

TECH CENTER 1600/2000

Form PTO 1449 US Department of Commerce Patent and Trademark Office	ATTY DOCKET NO: P-LJ 4494	SERIAL NO. 09/757,041
	APPLICANT: Reed and Sato	
INFORMATION DISCLOSURE STATEMENT BY APPLICANT	FILING DATE: January 9, 2001	GROUP: 1645

U.S. PATENT DOCUMENTS

EXAM. INITIALS		DOCUMENT NUMBER	DATE	NAME	CLASS	SUB- CLASS	FILING DATE

FOREIGN PATENT DOCUMENTS

EXAM. INITIALS		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUB- CLASS	TRANSLATION (YES/NO)

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages)

✓	✓	Allen et al., "CD40 Ligand Gene Defects Responsible for X-linked Hyper-IgM Syndrome," <u>Science</u> 259:990-993 (1993)
	✓	Armitage et al., "Molecular and Biological Characterization of a Murine Ligand for CD40," <u>Nature</u> 357:80-82 (1992)
	✓	Barlow et al., "Structure of the C3HC4 Domain by 1H-nuclear Magnetic Resonance Spectroscopy. A new structural class of zinc-finger," <u>J. Mol. Biol.</u> 237:201-211 (1994)
	✓	Clark and Ledbetter, "How B and T cells talk to each other," <u>Nature</u> 367:425-428 (1994)
✓	✓	Clark and Ledbetter, "Activation of human B cells mediated through two distinct cell surface differentiation antigens, Bp35 and Bp50," <u>Pro. Natl. Acad. Sci., USA</u> 83:4494-4498 (1986)

EXAMINER 	DATE CONSIDERED 10/14/00
--------------	-----------------------------

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.



RECEIVED

AUG 07 2001

Form PTO 1449 US Department of Commerce Patent and Trademark Office	ATTY DOCKET NO: P-LJ 4494	SERIAL NO. 09/757,041
	APPLICANT: Reed and Sato	
INFORMATION DISCLOSURE STATEMENT BY APPLICANT	FILING DATE: January 9, 2001	GROUP: Unknown

SEP		Cheng et al., "Involvement of CRAF1, a relative of TRAF, in CD40 signaling," <u>Science</u> , 267:1494-1498 (1995)
X	✓	Choi et al., "Induction of NF-AT in normal B lymphocytes by anti-immunoglobulin or CD40 ligand in conjunction with IL-4," <u>Immunity</u> 1:179-187 (1994)
X	✓	DeFrance et al., "Interleukin 10 and transforming growth factor beta cooperate to induce anti-CD40-activated naive human B cells to secrete immunoglobulin A," <u>J. Exp. Med.</u> 175:671-682 (1992)
X	✓	DiSanto et al., "CD40 Ligand Mutations in X-linked Immunodeficiency with Hyper-IgM," <u>Nature</u> 361:541-543 (1993)
X	✓	Durie et al., "Prevention of Collagen-induced Arthritis with an Antibody to gp39, the Ligand for CD40," <u>Science</u> 261:1328-1330 (1993)
X	✓	Fields and Song, "A Novel Genetic System to Detect Protein-protein Interactions," <u>Nature</u> 340:245-246 (1989)
X	✓	Foy et al., "In vivo CD40-gp39 Interactions Are Essential for Thymus-dependent Humoral Immunity. II. Prolonged Suppression of the Humoral Immune Response by an Antibody to the Ligand for CD40, gp39," <u>J. Exp. Med.</u> 178:1567-1575 (1993)
X	✓	Fuleihan et al., "Defective Expression of the CD40 Ligand in X Chromosome-linked Immunoglobulin Deficiency with Normal or Elevated IgM," <u>Proc. Natl. Acad. Sci., USA</u> 90:2170-2173 (1993)
X	✓	Freemont, "The RING finger. A novel protein sequence motif related to the zinc finger," <u>Ann. New York Acad. Sci.</u> 684:174-192 (1993)
X	✓	Gauchat et al., "Induction of Human IgE synthesis in B Cells by Mast Cells and Basophils," <u>Nature</u> 365:340-343 (1993)

EXAMINER A. L. [Signature]	DATE CONSIDERED 10/14/00
-------------------------------	-----------------------------

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.




RECEIVED

AUG 07 2001

TECH. CENTER 1000/2900

Form PTO 1449	US Department of Commerce Patent and Trademark Office	ATTY DOCKET NO: P-LJ 4494	SERIAL NO. 09/757,041
		APPLICANT: Reed and Sato	
INFORMATION DISCLOSURE STATEMENT BY APPLICANT		FILING DATE: January 9, 2001	GROUP: Unknown

✓	x	Gascan et al., "Anti-CD40 Monoclonal Antibodies or CD4+ T Cell Clones and IL-4 Induce IgG4 and IgE Switching in Purified Human B Cells via Different Signaling Pathways," <u>J. Immunol.</u> 147:8-13 (1991)
✓	x	Gordon et al., "Resting B Lymphocytes Can Be Triggered Directly Through the CDw40 (Bp50) Antigen. A Comparison with IL-4-Mediated Signaling," <u>J. Immunol.</u> 140:1425-1430 (1988)
✓	x	Gordon et al., "Synergistic Interaction Between Interleukin 4 and Anti-Bp50 (CDw40) Revealed in a Novel B Cell Restimulation Assay," <u>Eur. J. Immunol.</u> 17:1525-1538 (1987)
✓	x	Hollenbaugh et al., "The Human T Cell Antigen gp39, a Member of the TNF Gene Family, is a Ligand for the CD40 Receptor: Expression of a Soluble Form of gp39 with B Cell Co-stimulatory Activity," <u>EMBO J.</u> 11:4313-4321 (1992)
✓	x	Hu et al., "A novel RING finger protein interacts with the cytoplasmic domain of CD40," <u>J. Biol. Chem.</u> , 269:30069-30072 (1994)
✓	x	Itoh et al., "The Polypeptide Encoded by the cDNA for Human Cell Surface Antigen Fas Can Mediate Apoptosis," <u>Cell</u> 66:233-243 (1991)
✓	x	Itoh and Nagata, "A Novel Protein Domain Required for Apoptosis. Mutational Analysis of Human Fas Antigen," <u>J. Biol. Chem.</u> 268:10932-10937 (1993)
✓	x	Jabara et al., "CD40 and IgE: Synergism Between Anti-CD40 Monoclonal Antibody and Interleukin 4 in the Induction of IgE Synthesis by Highly Purified Human B Cells," <u>J. Exp. Med.</u> 172:1861-1864 (1990)
✓	x	Kawabe et al., "The Immune Responses in CD40-deficient Mice: Impaired Immunoglobulin Class Switching and Germinal Center Formation," <u>Immunity</u> 1:167-178 (1994)
✓	x	Korthauer et al., "Defective Expression of T-cell CD40 Ligand Causes X-linked Immunodeficiency with Hyper-IgM," <u>Nature</u> .361:539-541 (1993)

EXAMINER 	DATE CONSIDERED 10/14/02
---	-----------------------------

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.




RECEIVED

AUG 07 2001

Form PTO 1449 US Department of Commerce Patent and Trademark Office	ATTY DOCKET NO: P-LJ 4494	SERIAL NO. 09/757,041
	APPLICANT: Reed and Sato	
INFORMATION DISCLOSURE STATEMENT BY APPLICANT	FILING DATE: January 9, 2001	GROUP: Unknown

✓	X	Lederman et al., "Non-antigen Signals for B-cell Growth and Differentiation to Antibody Secretion," <u>Curr. Opin. Immunol.</u> 5:439-444 (1993)
✓	X	Ledbetter et al., "Augmentation of Normal and Malignant B Cell Proliferation by Monoclonal Antibody to the B Cell-specific Antigen BP50 (CDW40)," <u>J. Immunol.</u> 138:788-794 (1987)
✓	X	Liu et al., "Mechanism of Antigen-driven Selection in Germinal Centres," <u>Nature</u> 342:929-931 (1989)
✓	X	Liu et al., "Germinal Center Cells Express Bcl-2 Protein after Activation by Signals Which Prevent Their Entry into Apoptosis," <u>Eur. J. Immunol.</u> 21:1905-1910 (1991)
✓	X	Lovering et al., "Identification and preliminary characterization of a protein motif related to the zinc finger," <u>Proc. Natl. Acad. Sci. USA</u> , 90:2112-2116 (1993)
✓	X	Loetscher et al., "Molecular cloning and expression of the human 55 kd tumor necrosis factor receptor," <u>Cell</u> , 61:351-359 (1990)
✓	X	Mosialos et al., "The epstein-barr virus transforming protein LMP1 engages signaling proteins for the tumor necrosis factor receptor family," <u>Cell</u> , 80:389-399 (1995)
✓	X	Noelle et al., "A 39-kDa Protein on Activated Helper T Cells Binds CD40 and Transduces the Signal for Cognate Activation of B Cells," <u>Proc. Natl. Acad. Sci., USA</u> 89:6550-6554 (1992)
✓	X	Noelle et al., "CD40 and its Ligand, an Essential Ligand-receptor Pair for Thymus-dependent B-cell Activation," <u>Immun. Today</u> 13:431-433 (1992)
✓	X	Oehm et al., "Purification and Molecular Cloning of the APO-1 Cell Surface Antigen, a Member of the Tumor Necrosis Factor/nerve Growth Factor Receptor Superfamily. Sequence Identity with the Fas Antigen," <u>J. Biol. Chem.</u> 267:10709-10715 (1992)

EXAMINER 	DATE CONSIDERED 10/14/00
---	-----------------------------

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.




RECEIVED

AUG 07 2001

TECH CENTER 1600/2900

Form PTO 1449 US Department of Commerce Patent and Trademark Office	ATTY DOCKET NO: P-LJ 4494	SERIAL NO. 09/757,041
	APPLICANT: Reed and Sato	
INFORMATION DISCLOSURE STATEMENT BY APPLICANT	FILING DATE: January 9, 2001	GROUP: Unknown

✓	✓	Paulie et al., "A p50 Surface Antigen Restricted to Human Urinary Bladder Carcinomas and B Lymphocytes," <u>Cancer Immunol. Immunother.</u> 20:23-28 (1985)
✓	✓	Paulie et al., "The Human B Lymphocyte and Carcinoma Antigen, CDw40, Is a Phosphoprotein Involved in Growth Signal Transduction," <u>J. Immunol.</u> 142:590-595 (1989)
✓	✓	Rabizadeh et al., "Induction of Apoptosis by the Low-affinity NGF Receptor," <u>Science</u> 261:345-348 (1993)
✓	✓	Ren et al., "Signal Transduction via CD40 Involves Activation of Lyn Kinase and Phosphatidylinositol-3-Kinase, and Phosphorylation of Phospholipase C Gamma 2," <u>J. Exp. Med.</u> 179:673-680 (1994)
✓	✓	Rothe et al., "A Novel Family of Putative Signal Transducers Associated with the Cytoplasmic Domain of the 75 kDa Tumor Necrosis Factor Receptor," <u>Cell</u> 78:681-692 (1994)
✓	✓	Sato et al., "A novel member of the TRAF family of putative signal transducing proteins binds to the cytosolic domain of CD40," <u>FEBS Letters</u> , 358:113-118 (1995)
✓	✓	Schwabe and Klug, "Zinc mining for protein domains," <u>Struct. Biol.</u> 1:345-349 (1994)
✓	✓	Smith et al., "A receptor for tumor necrosis factor defines an unusual family of cellular and viral proteins," <u>Science</u> , 248:1019-1023 (1990)
✓	✓	Smith et al., "The TNF receptor superfamily of cellular and viral proteins: activation, costimulation, and death," <u>Cell</u> , 76:959-962 (1994)
✓	✓	Stamenkovic et al., "A B-lymphocyte Activation Molecule Related to the Nerve Growth Factor Receptor and Induced by Cytokines in Carcinomas," <u>EMBO. J.</u> 8:1403-1410 (1989)

EXAMINER 	DATE CONSIDERED 10/14/02
---	-----------------------------


EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.



RECEIVED
AUG 07 2001
TECH CENTER 1600/2900

Form PTO 1449 US Department of Commerce Patent and Trademark Office	ATTY DOCKET NO: P-LJ 4494	SERIAL NO. 09/757,041
	APPLICANT: Reed and Sato	
INFORMATION DISCLOSURE STATEMENT BY APPLICANT	FILING DATE: January 9, 2001	GROUP: Unknown

✓ cm	X	Tagawa et al., "Expression of novel DNA-binding protein with zinc finger structure in various tumor cells," <u>J. Biol. Chem.</u> , 265:20021-20026 (1990)
✓	X	Tartaglia et al., "A Novel Domain Within the 55 kd TNF Receptor Signals Cell Death," <u>Cell</u> 74:845-853 (1993)
✓	X	Uckun et al., "Stimulation of Protein Tyrosine Phosphorylation, Phosphoinositide Turnover, and Multiple Previously Unidentified Serine/threonine-specific Protein Kinases by the Pan-b-cell Receptor CD40/Bp50 at Discrete Developmental Stages of Human B-cell Ontogeny," <u>J. Biol. Chem.</u> 266:17478-17485 (1991)
✓	X	Vojtek et al., "Mammalian Ras Interacts Directly with the Serine/threonine Kinase Raf," <u>Cell</u> 74:205-214 (1993)
✓	X	Young et al., "Identification of a Human Epithelial Cell Surface Protein Sharing an Epitope with the C3d/Epstein-Barr Virus Receptor Molecule of B Lymphocytes," <u>Int. J. Cancer</u> 43:786-794 (1989)
✓		

EXAMINER 	DATE CONSIDERED 10/14/02
---	-----------------------------

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.